ELSEVIER

Carbohydrate Research 261 (1994) C9–C10

CARBOHYDRATE RESEARCH

AUTHOR INDEX

Abenhaïm, D. 255
Aiba, S.-i. 297
André, C. 1

Bacon, B.E. 317
Banaszek, A. 243
Bízik, F. 91
Bruggink, C. 335

Campos-Portuguez, S. 103
Cerezo, A.S. 317
Chandrasekaran, R. 279
Chen, L. 173
Cherniak, R. 317

Defaye, J. 267
Durand, T. 149

El Shemany, H.A. 327

Fronczek, F.R. 203
Fu, D. 173
Fuhrhop, J.-H. 1

Gadelle, A. 267
Geddes, R. 79
Gouvion, C. 187
Greiner, J. 37
Guillod, F. 37

Hahne, M. 215
Heyraud, A. 187
Hoover, R. 13
Hulleman, S.H.D. 163

Ikushima, N. 133
Iversen, T. 119
Izquierdo Cubero, I. 231

Jann, B. 215
Jann, K. 215
Jansson, P.-E. 111

Kari, N. 231
Karpiesiuk, W. 243
Kato, K. 67
Kochanowski, H. 215

Larsson, T. 119
Lee, E.J. 279
Lennholm, H. 119
Lindberg, B. 111
Loupy, A. 255
Luger, P. 1

Manca, M.C. 111
Marsais, F. 255
Martin, A.M. 13
Mayer, H. 103
Mazeau, K. 187
Munnier, L. 255
Murosaki, S. 67
Mutter, M. 335

Nehmzow, D. 1
Niessen, W.M.A. 335
Nimmich, W. 111
Noguchi, H. 57

Ohmori, H. 223
Ohta, T. 157
O'Neill, R.A. 173

Pedersen, C. 267
Plaza Lopez-Espinosa, M.T. 231

Quéguiner, G. 255

Remko, M. 91
Riess, J.G. 37
Rollin, P. 149
Rondot, B. 149
Rossi, J.-C. 149

Sakai, H. 157
Sakano, Y. 157
Sallam, M.A.E. 327
Sano, J. 133
Schols, H.A. 335
Senanayake, N.J. 13
Seow, C.C. 307
Shalaby, M.A. 203
Shashkov, A.S. 215
Shoji, T. 133
Sone, Y. 67
Soo Ping Chow, J.C.K. 79
Stortz, C.A. 317
Suzuki, M. 223

Takada, K. 133
Tamion, R. 255
Taravel, F.R. 187
Tarelli, E. 25
Thailambal, V.G. 279
Tonozuka, T. 157
Tsutsui, M. 223
Tvaroska, I. 91, 187

Van Dam, J.E.G. 163
Van der Greef, J. 335
Van der Hoeven, R.A.M. 335
Van Hazendonk, J.M. 163
Vasanthan, T. 13
Vasanti-Nair, C.K. 307
Vinogradov, E.V. 103
Voragen, A.G.J. 335

Wheeler, S.F. 25
Widmalm, G. 111

Yamamoto, Y. 67
Yamauchi, R. 67
Yokota, A. 103
Yokota, S.-i. 57
Younathan, E.S. 203

Zevenhuizen, L.P.T.M. 279

ELSEVIER

Carbohydrate Research 261 (1994) C11–C13

CARBOHYDRATE RESEARCH

SUBJECT INDEX

N-Acetylchitooligosaccharides, preparation from lysozymic hydrolysates of partially *N*-acetylated chitosans, 297
Amphiphile (1*S*,2*S*)-1,2-bis(D-gluconamido)-cyclohexane, the X-ray crystal structure of the double-headed, 1
α-Amylase II (TVA II), convenient enzymatic synthesis of 4^2-α-isomaltosylisomaltose using *Thermoactinomyces vulgaris* R-47, 157
Analysis of glycogen size by citrate mini-gradients, 11
Arabinoxylan–lignin complexes, conformational analysis of ether and ester linkages, 91
Azo dye–cyclomaltooctaose (γ-cyclodextrin) complex, ^{2}H NMR study of the self-assembly of an, 223

Capsular polysaccharide, 215
Capsular polysaccharide from *Klebsiella* type 38, a reinvestigation of the structure of the, 111
Carrageenans from *Iridaea undulosa*, high-field NMR spectroscopy of cystocarpic and tetrasporic, 317
Cellulose I_α and I_β in lignocellulosic materials, determination, 119
Chalcogran, synthesis from L-sorbose of optically active, 231
Chitosans, preparation of *N*-acetylchitooligosaccharides from lysozymic hydrolysates of partially *N*-acetylated, 297
Citrate mini-gradients, glycogen size analysis by, 11
Conformational analysis of ether and ester linkages in lignin–arabinoxylan complexes, 91
Crystal and molecular structure of 1,2-*O*-isopropylidene-α-D-*xylo*-pentadialdo-1,4-furanose. A dimeric form in the crystalline state, the, 203
Crystallinity in native cellulose from higher plants, determination with diffuse reflectance Fourier transform infrared spectroscopy, 163
(γ-Cyclodextrin) complex, ^{2}H NMR study of the self-assembly of an azo dye–cyclomaltooctaose, 223
Cyclomaltooctaose (γ-cyclodextrin) complex, ^{2}H NMR study of the self-assembly of an azo dye–, 223

1,4:3,6-Dianhydro-D-glucitol (isosorbide), selective alkylations, 255
Digalacturonic acid and sodium digalacturonate conformation in solution, 187
3,5-Dideoxy-5-iodo-1,2-*O*-isopropylidene-β-L-*lyxo*-hexofuranose derivatives, 149
Disaccharides related to tunicamycin, highly stereoselective synthesis of α,β-linked nonreducing, 243

E. coli, 215
Effects of defatting and heat–moisture treatment on the retrogradation of starch gels from wheat, oat, potato, and lentil, 13
Enthalpy relaxation and starch–sucrose interactions, effects of sub-T_g annealing of granular starch on, 307
Epitopes for human monoclonal antibodies and serotyping antisera against the O-specific polysaccharide of *Pseudomonas aeruginosa* O11, 57
Exocellular polysaccharide produced by *Lactobacillus helveticus* TY1–2, structural study on an, 67

Galactoglucan from *Rhizobium melioti*, molecular architecture of a, 279
(D-Gluconamido)cyclohexane, the X-ray crystal structure of the double-headed amphiphile (1*S*,2*S*)-1,2-bis, 1

Glucooligosaccharide derivatives, NMR studies of (1 → 3)-β-D-, 133
Glucopyranosyl fluoride oligosaccharides and β-(1 → 4)-linked 2-amino-2-deoxy-D-glucopyranosyl oligosaccharides by fluorolysis and fluorohydrolysis of chitosan, convenient access to β-(1 → 4)-linked 2-amino-2-deoxy-D-, 267
Glucopyranosyl oligosaccharides by fluorolysis and fluorohydrolysis of chitosan, convenient access to β-(1 → 4)-linked 2-amino-2-deoxy-D-, glucopyranosyl fluoride oligosaccharides and β-(1 → 4))-linked 2-amino-2-deoxy-D-, 267
Glycogen size analysis by citrate mini-gradients, 11
Glycose (perfluoroalkyl)alkyl phosphates, synthesis as new components for drug-carrying and -targeting systems, 37

Higher plants, determination of crystallinity in native cellulose from, using diffuse reflectance Fourier transform infrared spectroscopy, 163
^{1}H and ^{13}C NMR spectroscopy, 215
^{2}H NMR study of the self-assembly of an azo dye–cyclomaltooctaose (γ-cyclodextrin) complex, 223

Infrared spectroscopy, determination of crystallinity in native cellulose from higher plants using diffuse reflectance Fourier transform, 163
4^{2}-α-Isomaltosylisomaltose, convenient enzymatic synthesis of, using *Thermoactinomyces vulgaris* R-47 α-amylase II (TVA II), 157
Isopropylidene-α-D-*xylo*-pentadialdo-1,4-furanose. A dimeric form in the crystalline state, the crystal and molecular structure of 1,2-*O*-, 203
Isosorbide (1,4 : 3,6-di-anhydro-D-glucitol), selective alkylations, 255

Klebsiella type 38, a reinvestigation of the structure of the capsular polysaccharide from, 111

Lactobacillus helveticus TY 1–2, structural study on an exocellular polysaccharide produced by, 67
Lignin–arabinoxylan complexes, conformational analysis of ether and ester linkages, 91
Lignocellulosic materials, determination of cellulose I_{α} and I_{β} in, 119
Lysozymic hydrolysates of partially *N*-acetylated chitosans, preparation of *N*-acetylchitooligosaccharides, 297

Methylation analysis, 215
Molecular architecture of a galactoglucan from *Rhizobium melioti*, 279
Monophosphates of α,α′-trehalose, preparation from trehalose and sodium phosphate of four, 25

NMR method for the determination of cellulose I_{α} and I_{β} in lignocellulosic materials, 119
NMR spectroscopy of cystocarpic and tetrasporic carrageenans from *Iridaea undulosa*, high-field, 317
NMR studies of (1 → 3)-β-D-glucooligosaccharides derivatives, 133

Oligosaccharides, ribonuclease B, a detailed structural characterization by ^{1}H NMR spectroscopy and mass spectrometry, 173
Oligosaccharides, the use of combined HPAEC–thermospray MS in the structural analysis of pectic, 335
Optically active chalgogran, synthesis from L-sorbose, 231

Pectic oligosaccharides, the use of combined HPAEC–thermospray MS in structural analysis, 335
(Perfluoroalkyl)alkyl phosphosugars, synthesis of double-tailed, as new components for drug-carrying and -targeting systems, 37
Phosphosugars, synthesis of double-tailed (perfluoroalkyl)alkyl, as new components for drug-carrying and -targeting systems, 37
Polysaccharide from *Klebsiella* type 38, a reinvestigation of the structure of the capsular, 111
Polysaccharide from *Thiobacillus ferrooxidans* IFO 14262, the structure of the O-specific, 103
Polysaccharide, produced by *Lactobacillus helveticus* TY1–2, structural study on an exocellular, 67
Pseudomonas aeruginosa O11, epitopes for human monoclonal antibodies and serotyping antisera against the O-specific polysaccharide of, 57

Retrogradation of starch gels from wheat, oat, potato, and lentil, effects of defatting and heat–moisture treatment on the, 13
Rhizobium melioti, molecular architecture of a galactoglucan from, 279
Ribonuclease B oligosaccharides, a detailed structural characterization of, by ^{1}H NMR spectroscopy and mass spectrometry, 173

Selective alkylations of 1,4 : 3,6-dianhydro-D-glucitol (isosorbide), 255
Serotyping antisera against the O-specific polysaccharide of *Pseudomonas aeruginosa* O11, epitopes for human monoclonal antibodies and, 57
Sodium phosphate, the preparation of the four monophosphates of α,α'-trehalose on drying solutions of trehalose in aqueous, 25
Solution conformation of digalacturonic acid and sodium digalacturonate, 187
L-Sorbose, synthesis of optically active chalcogran from, 231
Starch gels from wheat, oat, potato, and lentil, effects of defatting and heat–moisture treatment on the retrogradation of, 13
Starch, sub-T_g annealing of, effects on enthalpy relaxation and starch–sucrose interactions, 307
Stereoselective synthesis of α,β-linked non-reducing disaccharides related to tunicamycin, 243
Structure of the O-specific polysaccharide from *Thiobacillus ferrooxidans* IFO 14262, the, 103
Sucrose–starch interactions and enthalpy relaxation, effects of sub-T_g annealing of granular starch on, 307
Syntheses and anomeric configuration assignment by CD and ^{1}H NMR spectroscopy, 1-phenyl-3-(α- and β-D-threofuranosylpyrazolo[3,4-*b*]quinoxaline C-nucleoside analogue, 327

Thermospray mass spectrometry, the use of combined HPAEC–, in the structural analysis of pectic oligosaccharides, 335
Thiobacillus ferrooxidans IFO 14262, the structure of the O-specific polysaccharide from, 103
Threofuranosylpyrazolo[3,4-*b*]quinoxaline C-nucleoside analogue. Syntheses and anomeric configuration assignment by CD and ^{1}H NMR spectroscopy, 1-phenyl-3-(α- and β-D-, 327
α,α'-Trehalose, the preparation of the four monophosphates from trehalose and sodium phosphate, 25
Tunicamycin, highly stereoselective synthesis of α,β-linked non-reducing disaccharides related to, 243

X-ray crystal structure of the double-headed amphiphile (1*S*,2*S*)-1,2-bis(D-gluconamido)-cyclohexane, the, 1